

The background features abstract, organic shapes in various shades of blue, grey, and orange. A large light blue shape is in the top left, a dark blue shape is in the top right, and a grey shape is in the middle right. A large dark blue shape is in the bottom right. In the bottom left, there are three small, irregular shapes in orange, red, and dark blue.

鯨豚擱淺 三要 四不


活體 擱淺緊急處理流程



三要四不 第一要扶正




頭部朝向岸邊與海浪成垂直方向，海水高度不要超過眼睛，並注意漲退潮的影響。




如情況許可，建議
胸鰭部位挖沙坑放
置讓鯨豚較舒適。



建議在鯨豚下方挖砂坑，鋪上防水布，以減輕鯨豚體重所造成的器官壓迫現象，增加活體機會。



如果鯨豚呈現側躺或是仰躺，請立即將其扶正（背鰭及呼吸孔朝上），翻身時請務必將胸鰭往內收貼近腹面，避免胸鰭骨折。



三要四不 第二要保濕




- ✚ 利用床單或是毛巾覆蓋鯨豚身體，注意要避開呼吸孔。
如果手邊的布有限，優先覆蓋背鰭及尾鰭，以免鯨豚皮膚受損造成感染。
- ✚ 隨時以乾淨的海水輕柔澆淋鯨豚的身體，避開呼吸孔以免海水直接進入呼吸孔。
- ✚ 以乾淨盆子盛裝的海水或清水，並以手輕輕撥水清洗眼睛與呼吸孔周圍（避免週圍沙石進入呼吸孔）。
- ✚ 並注意持續保持沙坑中的海水清潔（時常換水加入乾淨海水），天氣炎熱時也要注意水溫是否過高。



三要四不 第三要紀錄呼吸心跳



-  測量心跳請將手掌朝上，沿著左側胸鰭下方往內伸，輕壓即可以感受到心跳。測量時請以一分鐘計算，建議每30分鐘測量一次。並回報擱淺救援專線。
-  測量呼吸請注視呼吸孔的開合，從氣孔開合後開始計時5分鐘的心跳次數，建議每30分鐘測量並回報。





三要四不

第一不要讓鯨豚 受到風吹日曬



不能直接讓鯨豚曝露在風颭或是艷陽曝曬下，冬季時儘可能以布覆蓋鯨豚，或以物品遮風。夏季時可再加上雨傘遮陽！並且持續以乾淨海水或清水不斷的澆淋。






三要四不

第二不要站在距離鯨豚尾部和頭部太近的地方




擱淺鯨豚依然是野生動物，為避免人員被鯨豚利齒所傷，或是在鯨豚掙扎中被強有力的尾部拍打擊中，造成人員不必要的傷害，嚴格禁止站立在頭尾部、或以手扶持鯨豚的嘴部。



 三要四不 第三不要推拖拉扯鯨豚的胸鰭、尾鰭或頭部，亦不可翻滾動物的身體

-  在搬運與移動鯨豚的過程中，請使用床單或是擔架布，避免徒手直接搬運時拉扯胸鰭、或搬運尾鰭部位，或是以手扶著嘴喙、頭部搬運。
-  除扶正外不可任意翻滾鯨豚以免造成胸鰭骨折。





三要四不 第四不要喧嘩



- + 當鯨豚已經安全扶正移動至適當的位置保濕保定，現場人員儘量減少至可以照顧鯨豚的範圍，並且請輕聲細語以免造成鯨豚緊迫。
- + 現場請拉起封鎖線，避免群眾及其他非必要人員圍觀，造成鯨豚緊迫影響救援工作。